

Work Order ID 66083

Thursday, February 03, 2011 3:16:33 PM

Page 1

Item ID: D3575-5

Accept

Setup Start

Revision ID:

Stop

Item Name: Cabin Floor Protector

Start Date: 2/4/2011 Start Qty: 2.00

Required Date: 2/18/2011 Req'd Qty: 2.00

Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan: mkDate: 11-02-03 Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

D3575

Rev A

100

0.00



Waterjet

FLOW WATER JET

Memo

0.00

FLOW CNC Waterjet

1-Cut as per Dwg D3575 ☐ Dwg Rev: A ☐ Prog Rev: A ☐ 2-
Deburr if necessary811-2-7

110

0.00



QC

QC2- Inspect parts off machine FAI/FAIB

Memo

0.00

Quality Control

811-2-7

120

0.00



QC

QC8- Inspect parts - second check

Memo

0.00

Quality Control

mk 11 02 08 (2)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 66083

Thursday, February 03, 2011 3:16:33 PM



Page 2

Item ID: D3575-5

Accept



Setup Start



Revision ID:

Stop



Item Name: Cabin Floor Protector

Start Date: 2/4/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 2/18/2011 Req'd Qty: 2.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130		0.00							
	Small Fab								
Small Fab	Memo	0.00							
Small Fab	Deburr if necessary.								
140		0.00							
	QC5- Inspect part completeness to step on W/O								
QC	Memo	0.00							
Quality Control									
150		0.00							
	Identify as per dwg & Stock Location: _____								
Packaging	Memo	0.00							
Packaging									

Handwritten signature 2/4/09 (2)

Handwritten signature 11 02 08 (2)

Handwritten signature 11/2/9 (2)

Handwritten text: PPP 66081

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 66083

Thursday, February 03, 2011 3:16:33 PM

Page 3

Item ID: D3575-5

Accept

Setup Start

Revision ID:

Stop

Item Name: Cabin Floor Protector

Start Date: 2/4/2011 Start Qty: 2.00

Cust Item ID:

Required Date: 2/18/2011 Req'd Qty: 2.00

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

QC21- Final Inspection - Work Order Release

0.00

QC

Memo

0.00

Quality Control

11/02/09

mf
11-02-09

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, February 03, 2011 3:16:25 PM

Page 1

Work Order ID: 66083



Parent Item: D3575-5



Parent Item Name: Cabin Floor Protector

Start Date: 2/4/2011

Required Date: 2/18/2011

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev :A New Issue 07.07.23 EC verified by:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

MLEXS.125-F60029-04

Purchased

No

100

sf

3,417.678

10.666

22.45474



1311-2-7

GE PLASTICS LEXAN SHEET

Location

Loc Qty

Loc Code

MAT

3417.6788

115261

886.6788

116236

2531

116236

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order: 66087
Description: Cabin Floor Protector		Part Number: D3575-5
Inspection Dwg: D3575	Rev: A	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø3.00	+0.006/-0.001	3.004	✓		V R02	
3.38	+/-0.030	3.38	✓		T R02	
6.50	+/-0.030	6.50	✓		T	
26.13	+/-0.030	26.13	✓		T	
30.13	+/-0.030	30.13	✓		T	
2.00	+/-0.030	2.00	✓		T	
3.50	+/-0.030	3.50	✓		T	
14.25	+/-0.030	14.25	✓		T	
25.13	+/-0.030	25.13	✓		T	
29.38	+/-0.030	29.38	✓		T	
30.38	+/-0.030	30.38	✓		T	
31.50	+/-0.030	31.50	✓		T	
1.00	+/-0.030	1.00	✓		T	
4.38	+/-0.030	4.38	✓		T	
14.50	+/-0.030	14.50	✓		T	
16.00	+/-0.030	16.00	✓		T	
23.13	+/-0.030	23.13	✓		T	
26.88	+/-0.030	26.88	✓		T	
27.69	+/-0.030	27.69	✓		T	
1.00	+/-0.030	1.00	✓		T	
3.75	+/-0.030	3.75	✓		T	
9.63	+/-0.030	9.63	✓		T	
16.13	+/-0.030	16.13	✓		T	
28.06	+/-0.030	28.06	✓		T	
32.15	+/-0.030	32.15	✓		T	

Measured by: B	Audited by: M. M.	Prototype Approval:	N/A
Date: 11-2-7	Date: 11-02-08	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	08.01.16	New Issue	KJ/DD	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

DESIGN <i>LE</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3575	REV. A SHEET 4 OF 4
DATE 07.06.08		TITLE CABIN FLOOR PROTECTOR	SCALE 1:8

RELEASED
07 de 298

D3575-5 CABIN FLOOR PROTECTOR (SHOWN)
D3575-6 CABIN FLOOR PROTECTOR (OPPOSITE)

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8969

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries